



XI'AN FUNCTION MATERIAL GROUP CO., LTD
Material Safety Data Sheet
Lithium hydroxide

1. Product and Company Identification

Trade Name: Lithium hydroxide
Chemical Formula: LiOH

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street: No. 69, Gazelle Valley, High-Tech Zone
City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China
Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H301+H331: Toxic if swallowed or if inhaled
H314: Causes severe skin burns and eye damage.
H402: Harmful to aquatic life.

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapors/spray
P264: Wash skin thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P273: Avoid release to the environment.
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363: Wash contaminated clothing before reuse.
P405: Store locked up.
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):
Health: 3
Flammability: 0
Physical: 1

3. Composition

Chemical Family: Inorganic compound
Additional Names: N/A

Lithium hydroxide (LiOH):
Percentage: 100 wt%
CAS #: 1310-65-2
EC #: 215-183-4

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.
Special Treatment: None
Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Keep patient warm. Seek immediate medical attention.

Ingestion: Seek immediate medical attention.

Skin: Immediately wash affected area with mild soap and water. Remove any contaminated clothing. Seek immediate medical attention.

Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek immediate medical attention.

5. Firefighting Measures

Flammability: Non-flammable

Extinguishing Media: No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Keep unprotected persons away. Isolate spill area and provide ventilation. Use neutralizing agent. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

| | |
|----------------------------|--|
| Handling Conditions: | Handle under dry protective gas. Avoid contact with skin and eyes. Wash thoroughly after handling. |
| Storage Conditions: | Store in a cool dry place in a tightly sealed container. Store away from oxidizing agents, air, water/moisture. Do not store together with acids. Store under dry inert gas. This product is hygroscopic and air sensitive. Protect from humidity and water. Store apart from materials and conditions listed in section 10. |
| Work/Hygienic Maintenance: | Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. |
| Ventilation: | Provide sufficient ventilation to maintain concentration at or below threshold limit. |

8. Exposure Controls and Personal Protection

| | |
|------------------------------|---|
| Permissible Exposure Limits: | N/A |
| Threshold Limit Value: | N/A |
| Special Equipment: | Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. |
| Respiratory Protection: | Dust Respirator |
| Protective Gloves: | Nitrile rubber gloves with minimum thickness of 0.11 mm |
| Eye Protection: | Safety glasses or goggles |
| Body Protection: | Protective work clothing. Wear close-toed shoes and long sleeves/pants. |

9. Physical and Chemical Characteristics

| | |
|---------------------------|------------------|
| Color | White |
| Form: | Powder |
| Odor: | Odorless |
| Water Solubility: | 71 g/l – Soluble |
| Boiling Point: | 924°C |
| Melting Point: | 462°C |
| Flash Point: | N/A |
| Autoignition Temperature: | N/A |
| Density: | 2.54 g/cc |
| Molecular weight: | 23.95 g/mol |

10. Reactivity

| | |
|-----------------------------------|---|
| Stability: | Stable under recommended storage conditions |
| Reacts With: | Oxidizing agents, acids |
| Incompatible Conditions: | Air, Water/moisture |
| Hazardous Decomposition Products: | Metal oxide fume, lithium oxides |

11. Toxicological Information

| | |
|--------------------------------|---|
| Potential Health Effects: | |
| Eyes: | Causes serious eye damage |
| Skin: | Causes severe skin burns |
| Ingestion: | Toxic if swallowed. Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. |
| Inhalation: | Toxic if inhaled |
| Chronic: | N/A |
| Signs & Symptoms: | Large doses of lithium ion have caused dizziness and prostration and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion. Cyanosis and t-wave inversion have occurred in the breast-fed infants of women receiving lithium carbonate therapy. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, Shortness of breath |
| Aggravated Medical Conditions: | N/A |
| Median Lethal Dose: | 210 mg/kg for rat by mouth |
| Carcinogen: | IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |

12. Ecological Information

| | |
|--|---|
| Aquatic Toxicity: | Toxicity to fish: static test LC50 - Danio rerio (zebra fish) - ca. 62.2 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates: static test EC50 - Daphnia magna (Water flea) - 19.1 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae: static test EC50 - Pseudokirchneriella subcapitata (algae) - ca. 23.75 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria: Respiration inhibition EC50 - Sludge Treatment - 180.8 mg/l - 3 h (OECD Test Guideline 209) |
| Persistent Bioaccumulation Toxicity: | N/A |
| Very Persistent, Very Bioaccumulative: | N/A |
| Notes: | Harmful to aquatic life. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. |

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 8 Corrosive substances
Packing Group: II
UN Number: UN2680
Proper Shipping Name: Lithium hydroxide

15. Regulatory Information

Sec 302 Extremely Hazardous: No
Sec 304 Reportable Quantities: N/A
Sec 313 Toxic Chemicals: No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/09/2018